

राष्ट्रीय प्रौद्योगिकी संस्थान दिल्ली

NATIONAL INSTITUTE OF TECHNOLOGY DELHI

(शिक्षा मंत्रालय, भारत सरकार के अधीन एक स्वायत्त संस्थान)

(A((An autonomous Institute under the aegis of Ministry of Education (Shiksha Mantralaya), Govt. of India)
Plot No. FA7, Zone P1, GT Karnal Road, Delhi-110036, INDIA
दूरभाष/Tele: +9111-33861000, 1001, 1005 फैक्स/ Fax: +9111-27787503,

वेबसाइट/Website: www.nitdelhi.ac.in

NOTICE INVITING QUOTATION

National Institute of Technology Delhi invites sealed Quotation on item rate basis for the following work:

Sr. No.	NIQ No.	Name of work & Location	Time of Completion	Last date & time of Receipt of Quotation	Time & date of opening of quotation
1	2	3	4	5	6
1	11/NIQ/Estate/2024-25	Annual Rate contract for supply of electrical items for day to day maintenance in NIT Delhi.	12 Months	23-07-2024 Upto 3:30 PM	23-07-2024 at 4:00 PM

The Bidders are required to quote rate as per the schedule of quantities. The quotation will not be accepted other than this format. The completed set in a sealed envelope shall be addressed to Executive Engineer, Estate Office, National Institute of Technology, Delhi (Tel 011-33861043).

The Quotations will be received up to 03.30 PM on 23-07-2024 with all necessary documents in the Estate Office, Admin building, NIT Delhi and the quotations will be opened on the same day at 4.00 PM in the presence of Bidders or their representatives who want to present. Agency has to submit the following self-attested copy of the documents along with the annexure (enclosed):

- 1. GST registration
- 2. Pan Card
- 3. Dealer/Distributor Certificate/Electrical Licence of contractor.

Sealed envelope quotations shall be submitted superscripted with Name of Work, Quotation No. and Date of opening.

Encl.: As stated above

अधिशार्ष अभिग्रंता (सिविल) Executive Engineer (Civil) राष्ट्रीय प्रीविष्ट्रीनकी संस्थान दिल्ली National Institute of Technology Delhi एफ ए ७, जोन पी1, जीटी करनाल रोड, दिल्ली–110036, भारत FA7, Zone P1, GT Kamal Road, Delhi-110036, INDIA



राष्ट्रीय प्रौद्योगिकी संस्थान दिल्ली

NATIONAL INSTITUTE OF TECHNOLOGY DELHI

(शिक्षा मंत्रालय, भारत सरकार के अधीन एक स्वायत्त संस्थान)

(A((An autonomous Institute under the aegis of Ministry of Education (Shiksha Mantralaya), Govt. of India)
Plot No. FA7, Zone P1, GT Karnal Road, Delhi-110036, INDIA
दरभाष/Tele: +9111-33861000, 1001, 1005 फैक्स/ Fax: +9111-27787503,

वेबसाइट/Website: www.nitdelhi.ac.in

TERMS AND CONDITIONS

1. Bidder's quoted Rates for executing the work shall remain firm till completion of the entire work and shall not attract any escalation under any circumstances whatsoever.

2. The Rate Contract (RC) shall be valid for a period of One Year. The supply orders shall be placed from time to time against the RC. This office does not give any guarantee of minimum purchase under the present RC.

3. The rate contract may be extended for further period of one year subject to satisfactory service and

on the same terms, conditions and rates.

4. Mentioned makes in the schedule should be used. Other makes can be used with prior approval of

Engineer in charge.

- 5. If the successful bidder fails to fulfil his obligations under the present RC i.e. non-adherence to terms and conditions and supply of fake / counterfeit items, this office after due notice to the supplier may blacklist the firm.
- 6. **Guaranty/Warranty Period**: The bidder must provide original equipments manufacturer (OEM) onsite warranty from the date of completion of the satisfactory delivery/and submission of date of Invoice.
- 7. Contract Agreement: The contractor should execute a formal agreement with NIT Delhi on a Non-Judicial Stamp paper of Rs. 100/- within a period of 07 days of the issuance of Work Order. No work of any kind should be commenced without proper execution of an agreement. Non fulfillment of this condition of executing a contract by the Contractor would constitute sufficient ground for annulment of the award and will be considered and liable to be suspended/debarred from participating in the future bids in the Institute for the period of One Year.

8. Supplies shall be made within 48 hours of its receipt. In case of delay beyond the stipulated period, a penalty of Rs.500/- per day of delay will be levied. In case of rejected / returned items, the replacement is to be made within 2 days of receipt of information regarding rejection of items, else penalty @ Rs.500/- per day will be levied. The services would be provided on regular basis during

day time and in case of emergency beyond working hours including holidays.

9. All costs related to packing, transportation etc. at F.O.R. NIT Delhi will be borne by the supplier. No extra payment will be made by the office for whatever purpose. The supplier will be solely responsible for paying all applicable taxes as per rules. No increase in amount shall be considered during the full period of contract. Advance payment will not be made by the office under any circumstances.

10. Rates quoted by the bidders shall be inclusive of GST (Goods and Services Tax) and all applicable taxes.

11. 2.5% of the bill amount will be retained by the Institute as security deposit, which will be released after completion of defect liability period of 06 months

12. Payment shall be made within 30 working days from the receipt of the Invoices after completion of

work. Payment will be released based on actual measurements.

13. The contractor shall clean the site thoroughly of scaffolding materials, rubbish/malba, equipments left out of his work & the site to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.

14. For substandard/Incomplete work penalty may be imposed and suitable recovery will be made

from bill of the contractor

Page Z UI 9		Page 2 of 9	300, 400, 500 mar cast and 300 mar (sax cast cast cast foll lost 5th cast cast cast
-------------	--	-------------	---

- 15. The agency is fully responsible for the safety of working personnel and has to follow all government safety rules.
- 16. Any damage done by the contractor to any existing item/any part of the building during the course of Execution of work shall be made good at his own cost.
- 17. NIT Delhi shall not be held responsible for delay in submission of quotation.
- 18. Any dispute will be subject to the territorial jurisdiction of Rohini District Court Delhi only.
- 19. Use of correction fluid in quotation not to be allowed. Such quotation is liable to be rejected.
- 20. The quotation shall remain valid for 75 days from the date of opening.

UNDERTAKING

NIQ No: 11/NIQ/Estate/2024-25

Name of work: Annual Rate contract for supply of electrical items for day to day maintenance in NIT Delhi.

I hereby certify that all the information furnished is true to the best of my knowledge. I have no objection to the Institute verifying any or all the information furnished in this document with the concerned authorities, if necessary. I also understand that if any of the information is found false at any stage, I am liable to be deregistered from the panel of approved contractors or banned from doing any business dealings with Government Departments or blacklisted or subject to monetary penalties as deemed fit by NIT Delhi.

I further specifically certify that our organization has not been BlackListed/DeListed by any Institutional Agency/Govt. Department/Public Sector Undertaking in the last seven years.

I also certify that I have read and understood al the scope of work, terms and conditions indicated in the tender document and here by accept all of the same unconditionally.

Signature of the authorized signatory of the agency
Official seal/Stamp

CERTIFICATE OF PRICE JUSTIFICATION [To be given on letter head]

1
ates
nent

Signature of the authorized signatory of the agency Official seal/Stamp



राष्ट्रीय प्रौद्योगिकी संस्थान दिल्ली

NATIONAL INSTITUTE OF TECHNOLOGY DELHI

(शिक्षा मंत्रालय, भारत सरकार के अधीन एक स्वायत्त संस्थान)

(A((An autonomous Institute under the aegis of Ministry of Education (Shiksha Mantralaya), Govt. of India)
Plot No. FA7, Zone P1, GT Karnal Road, Delhi-110036, INDIA
दूरभाष/Tele: +9111-33861000, 1001, 1005 फैक्स/ Fax: +9111-27787503,

वेबसाइट/Website: www.nitdelhi.ac.in

Annexure III: Price Bid

NIQ No: 11/NIQ/Estate/2024-25

Name of work: Annual Rate contract for supply of electrical items for day to day maintenance in NIT

Delhi.

S. No.	Electrical Items	Make and Model	Unit	Rate (Per Unit Inclusive of GST)
SH: 1	Supply of following Electrical items in NIT Delhi.			
1	LED Batten 4ft. 24/25 Watt. (yellow/off white/white)	Philips/Havells/ Crompton	1 Nos.	
2	LED Batten 2 ft. 10 Watt. (yellow/off white/white)	Philips/Havells/ Crompton	1 Nos.	
3	Round recess type Led 15W (yellow/off white/white)	Philips/Havells/ Crompton	1 Nos.	
4	Round recess type Led 10W (yellow/off white/white)	Philips/Havells/ Crompton	1 Nos.	
5	Round surface type Led 15W (yellow/off white/white)	Philips/Havells/ Crompton	1 Nos.	
6	Round surface type Led 24W (yellow/off white/white)			
7	LED flood light 50W IP 66/67	Philips/Havells/ Crompton	1 Nos.	
8	LED flood light 100W IP 66/67	Philips/Havells/ Crompton	1 Nos.	
9	LED flood light 200W IP 66/67	Philips/Havells/ Crompton	1 Nos.	
10	2"x2" 36W (4000K minimum) LED Light panel	Philips/Havells/ Crompton	1 Nos.	
11	fluorescent powder coated (minimum 3 star rating) 36Watt tube rod in existing fitting.	Philips/Havells/ Crompton/bajaj/ Surya	1 Nos.	
12	Providing High frequency electronic ballast 1x36Watt Fluorescent Tube Light fixture.	Philips/Havells/ Crompton/bajaj/ Surya	1 Nos.	
13	FSU starter for existing fluorescent lamp fixture.	Philips/Havells/ Crompton/bajaj/ Surya	1 Nos.	
14	5/6/10A modular type switch	Simon/L&T/ existing make	1 Nos.	
15	5/6/10A modular type socket.	Simon/L&T existing make	1 Nos.	
16	15/16 A modular type switch	Simon/L&T existing make	1 Nos.	

 Page 6	of 9	

17	15/16 A modular type socket	Simon/L&T existing make	1 Nos.	
18	3 Pin 5/6A plug top	Havells/Crompto n/Anchor/orient	1 Nos.	
19	3 Pin 15/16A plug top	Havells/Crompto n/Anchor/orient	1 Nos.	
20	1 Module fan regulator	Simon/L&T existing make	1 Nos.	
21	2 Module fan regulator	Simon/L&T existing make	1 Nos.	
22	10A SP C type MCB 10KA breaking capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
23	16A SP C type MCB 10KA breaking capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	4
24	16A DP C type MCB 10KA breaking capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
25	32A DP C type MCB 10KA breaking capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
26	63A TPN C type MCB 10KA breaking capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
27	63A TPN MCB 10KA breaking capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
28	125A FPMCCB 36KA breaking capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
29	200A FPMCCB 36KA breaking capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
30	8Way Double door Single phase Distribution board	Legrand/L&/S chneier/AB B	1 Nos.	
31	12 Way Double door Single phase Distribution board	Legrand/L&T/ Schneidr /ABB	1 Nos.	
32	4 way (4 + 12), Double door Horizontal type three phase distribution board.	Legrand/L&T/ Schneider/ABB	1 Nos.	
33	12 way (4 + 36), Double door Horizontal type three phase distribution board.	Legrand/L&T/ Schneider/ABB	1 Nos.	
34	Single phase 30ma current sensititivity RCCB 25A capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
35	Single phase 30ma current sensititivity RCCB 25A capacity	Legrand/L&T/ Schneider/ABB	1 Nos.	
36	Supplying of DP sheet steel enclosure with 25/32 A 240 V "C" curve DP MCB	Legrand/L&T/ Schneider/ABB	1 Nos.	

52	25mm		1 Metre
	15mm		
50	Supplying of following sizes of medium class PVC batten along with accessories for fixing surface/recess.	AKG/Anchor/Setia	1 Metre
49	25mm		1 Metre
48	20mm		1 Metre
	Supplying of following sizes of medium class PVC conduit along with accessories for fixing surface/recess.	/Setia	1 Matua
46	Providing M.V. danger notice plate of 200 mm X 150 mm, made of mild steel, at least 2 mm thick, and vitreous enameled white on both sides, and with inscription in single red colour on front side as required.	AKG/Anchor	1 Nos.
45	4Cx25sqmm, ISI marked, amoured PVC insulated, aluminumconductor cable.	PolyCab/ Finolex/ RR Kable/havells	1 metre
44	4Cx16sqmm, ISI marked, amoured PVC insulated, aluminumconductor cable.	PolyCab/ Finolex/ RR Kable/havells	1 metre
43	3Cx4sqmm ISI marked, FRLS PVC insulated, single core copper conductor cable	PolyCab/ Finolex/ RR Kable/havells	1 Roll (90 mtr)
42	3Cx 1.5 sqmm ISI marked, FRLS PVC insulated, single core copper conductor cable	PolyCab/ Finolex/ RR Kable/havells	1 Roll (90 mtr)
41	6.0 sqmm ISI marked, FRLS PVC insulated, single core copper conductor cable	PolyCab/ Finolex/ RR Kable/ havells	1 Roll (90 mtr)
40	4.0 sqmm ISI marked, FRLS PVC insulated, single core copper conductor cable	PolyCab/ Finolex/RR Kable/havells	1 Roll (90 mtr)
39	1.5 sqmm, ISI marked, FRLS PVC insulated, single core copper conductor cable	PolyCab/ Finolex/ RR Kable/havells	1 Roll (90 mtr)
38	Providing running capacitor of 230V/ 275V, 50Hz rating of 2.5mFD for already installed ceiling fans	Usha/ /Havells AMCAP/ CONCAP	1 Nos.
37	Supplying and fixing TP sheet steel enclosure with 16/25/32 A 415 V "C" curve TP MCB		1 Nos.

53	Supply of 12 modular PVC combined box having 2 no. 16A 5 pin switch & Socket and 2 No. 6/10A 6 pin Switch & Socket.	Havells/Anchor/ Cona	1 Nos.	
54	Supply of 6 modular PVC combined box having 2 No. 6/10A 6 pin Switch & Socket.	Havells/Anchor/ Cona	1 Nos.	
55	Supply of 3 modular PVC combined box having 1 No. 6/10A 6 pin Switch & Socket.	Havells/Anchor/ Cona	1 Nos.	
56	Supply of wall fan 400 mm	Crompton/ Havells/Bajaj	1 Nos.	
57	Supply of exhaust fan 150mm	Crompton/ Havells/Bajaj	1 Nos.	
58	Supply of exhaust fan 250mm	Crompton/ Havells/Bajaj	1 Nos.	
59	Supply of PVC electrical Tape- 8m roll	ISI Marked	1 Nos.	
60	Supply of Singe phase 240V electrical extension board having 4 Nos. Switch & Sockets.	Havells/Anch /Cona	1 Nos.	
61	Supply, of 1200 mm sweep, BEE 5 star rated, ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, Power Factor not less than 0.9, Service Value (CM/M/W) minimum 6.00, Air delivery minimum 210 Cum/Min, 350 RPM (tolerance as per IS: 374-2019), THD less than 10%, remote or electronic regulator unit for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Supply.	Atomberg/ Crompton/ Havells	1 Nos.	
	Total Miloulit			

L1 will be decided as per the total Amount of all 1-61 Item. Bidder should visit the site and check the existing fitting and their dimensions for perfect fit.

Bidder Sign with Seal

~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~ ~	Page 9 of 9	