

राष्ट्रीय प्रौद्योगिकी संस्थान दिल्ली

NATIONAL INSTITUTE OF TECHNOLOGY DELHI

(शिक्षा मंत्रालय,भारत सरकार के अधीन एक स्वायत्त संस्थान)

(An autonomous Institute under the aegis of Ministry of Education (Shiksha Mantralaya), Govt. of India) Plot No. FA7, Zone P1, GT Karnal Road, Delhi-110036, INDIA दूरभाष/Tele :+9111-33861000, 1001, 1005 फैक्स /Fax: +9111-27787503,

वेबसाइट/Website: www.nitdelhi.ac.in

NOTICE INVITING QUOTATION

National Institute of Technology Delhi invites sealed Quotation on item rate basis for the following work:

Sr. No.	NIQ No.	Name of work & Location	Estimated Cost put to quotation [INR]	Time of Completion	Last date & time of Receipt of Quotation	Time & date of opening of quotation
1	2	3	4	5	6	7
1	23/NIQ/Estate/2024-25	Miscellaneous Repair works at NIT Delhi.	4,97,974.00/-	30 Days	18-12-2024 Upto 3:30 PM	18-12-2024 at 4:00 PM

The Bidders are required to quote rate as per the schedule of quantities. The quotation will not be accepted other than this format. The completed set in a sealed envelope shall be addressed to Executive Engineer, Estate Office, National Institute of Technology, Delhi (Tel 011-33861043).

The Quotations will be received up to 03.30 PM on 18-12-2024 with all necessary documents in the Estate Office, Admin building, NIT Delhi and the quotations will be opened on the same day at 4.00 PM in the presence of Bidders or their representatives who want to present. Agency has to submit the following self-attested copy of the documents along with the annexure (enclosed):

- 1. GST registration
- 2. Pan Card
- 3. Experience of having successfully completed works during last 7 years up to previous day of last date of submission of quotation, as given below:

Three similar works each of value not less than 40% of estimated cost or two similar work each of value not less than 60% of estimated cost or one similar work of value not less than 80% of estimated cost (similar work shall mean civil works)

Sealed envelope quotations shall be submitted superscripted with Name of Work, Quotation No. and Date of opening.

Encl.: As stated above

Executive Engineer

अधिशाषी अभियंता (सिविल)
Executive Engineer (Civil)
राष्ट्रीय प्रौदयोगिकी संस्थान दिल्ली
National Institute of Technology Delhi
एफ ए ७, जोन पी1, जीटी करनाल रोड़, दिल्ली–110036, भारत
FA7, Zone P1, GT Kamal Road, Delhi-110036, INDIA

Page 1 of 5



राष्ट्रीय प्रौद्योगिकी संस्थान दिल्ली

NATIONAL INSTITUTE OF TECHNOLOGY DELHI

(शिक्षा मंत्रालय,भारत सरकार के अधीन एक स्वायत्त संस्थान)

(An autonomous Institute under the aegis of Ministry of Education (Shiksha Mantralaya), Govt. of India) Plot No. FA7, Zone P1, GT Karnal Road, Delhi-110036, INDIA

दूरभाष/Tele :+9111-33861000, 1001, 1005 फैक्स /Fax: +9111-27787503,

वेबसाइट/Website: www.nitdelhi.ac.in

TERMS AND CONDITIONS

- 1. The work shall be carried out as per latest CPWD specifications for Civil and Electrical works with upto date correction slips and as per the direction of Engineer-in-charge. The quantities given in the schedule of work for all the items are tentative. The work shall be carried as per actual requirement as approved by the Engineer -in - Charge.
- 2. Bidder's quoted Rates for executing the work shall remain firm till completion of the entire work & shall not attract any escalation under any circumstances whatsoever. The quantities mentioned in BOQ are tentative which may be increased or decreased as per the requirement of the Institute.
- 3. NIT Delhi shall not be held responsible for delay in submission of quotation.
- Bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their tenders as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, and in general shall themselves obtain all necessary information as to risks contingencies and other circumstances which influence or effect their bid. A Bidder shall be deemed to have full knowledge of the site, whether he inspects it or not and so no extra charges consequent on any misunderstanding or otherwise shall be allowed. The bidders shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work. Submission of a bid by a bidder implies that he has read this notice and all other documents and has made himself aware of the scope and specifications of the work to be done and local conditions and other factors bearing on the specification of the work.
- 5. Work will be executed as per latest CPWD Works Manual & CPWD General Conditions of Contract for Maintenance Works.
- 6. Rates quoted by the bidders shall be inclusive of GST (Goods and Services Tax) and all applicable taxes. Taxes and all other statutory deductions like labor cess etc. will be deducted from the bill as per prevailing rules.
- 7. 2.5% of the bill amount will be retained by the Institute as security deposit, which will be released after completion of defect liability period of 06 months.
- 8. Contractor will devise a system to keep a watch on quantum of work taken up vis-à-vis balance items required to complete defined scope of work and will give the alerts to Engineer-in-Charge before taking up extra items and deviations.
- 9. Payment will be released based on actual measurements. No advance payment will be made to the contractor
- 10. The contractor shall clean the site thoroughly of scaffolding materials, rubbish/malba, equipments left out of his work & dress the site to the complete satisfaction of the Engineer-in-Charge before the work is treated as completed.
- 11. The Contractor shall complete the work within the time frame as stipulated, failing which, NIT Delhi will recover Compensation for Delay of work @ 0.5% of the total amount of work as per Work Order per week of delay subject to maximum of 10% of the accepted value of the Work.
- 12. For substandard/Incomplete work penalty may be imposed and suitable recovery will be made from bill of the contractor.
- 13. The material should be used as per approved make of list. Material should be shown to the Engineer-in-charge before
- 14. The agency is fully responsible for the safety of working personnel and must follow all government safety rules.
- 15. Any damage done by the contractor to any existing item/any part of the building during execution of work shall be made good at his own cost.
- 16. The right of acceptance or rejection of any or all the quotations is reserved without assigning any reason with the Competent Authority of NIT Delhi.
- 17. Use of correction fluid in quotation not to be allowed. Such quotation is liable to be rejected.
- 18. The quotation shall remain valid for 75 days from the date of opening.
- 19. Any dispute will be subject to the territorial jurisdiction of Rohini District Court Delhi only.



राष्ट्रीय प्रौद्योगिकी संस्थान दिल्ली

NATIONAL INSTITUTE OF TECHNOLOGY DELHI

(शिक्षा मंत्रालय,भारत सरकार के अधीन एक स्वायत्त संस्थान)

(An autonomous Institute under the aegis of Ministry of Education (Shiksha Mantralaya), Govt. of India)
Plot No. FA7, Zone P1, GT Karnal Road, Delhi-110036, INDIA
बुरभाष/Tele: +9111-33861000, 1001, 1005 फैक्स /Fax: +9111-27787503,

वेबसाइट/Website: www.nitdelhi.ac.in

Annexure I: Price Bid

NIQ No: 23 /NIQ/Estate/2024-25

Name of work: Miscellaneous Repair work at NIT Delhi.

Sr. No.	Description	Unit	Quantity	Rate	Amount
1	Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete.	sqm	20		
2	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams/litre, of approved brand and manufacture, including applying additional coats wherever required, to achieve even shade and colour.				
	Two Coats	sqm	100		
3	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade:				
	One or more coats on old work	sqm	750		
4	Finishing walls with Acrylic Smooth exterior paint of required shade :				
	Old work (Two or more coat applied @ 1.67 ltr/ 10 sqm) on existing cement paint surface	sqm	105		
5	Providing and fixing dry cladding upto 10 metre heights with 30mm thick gang saw cut stone with (machine cut edges) of uniform colour and size upto 1mx1m, fixed to structural steel frame work and/ or with the help of cramps, pins etc. and sealing the joints with approved weather sealant as per Architectural drawing and direction of Engineer-in-charge. (The steel frame work, stainless steel cramps and pins etc. shall be paid for separately).				
5.1	Red sand stone - 30mm thick gang saw cut stone	sqm	15.00		
5.2	White sand stone - 30mm thick gang saw cut stone	sqm	12.00	*	
6	CEMENT PLASTER (IN COARSE SAND)			·	

	12 mm cement plaster of mix :	sqm	106.00		
	Providing and fixing cramps of required				
	size & shape in RCC/ CC / Brick				
	masonry backing with cement mortar 1:2 (1				
7	cement :2 coarse sand),				
	including drilling necessary hole in stones and embedding the cramp in				
	and embedding the cramp in the hole (fastener to be paid separately).				
	Stainless steel cramps	kg	8.00		
	Providing and fixing expansion hold	Kg	0.00		
	fasteners on C.C. /R.C.C./Brick				
8	masonry surface backing including drilling				
	necessary holes and the				
	cost of bolt etc complete				
	Wedge expansion type				
	Fastener with threaded dia 6 mm	each	100.00		
	Providing and laying flamed finish Granite				
	stone flooring in required design				
	and patterns, in linear as well as curvilinear				
	portions of the building all complete as per the architectural drawings				
	with 18 mm thick stone slab				i
9	over 20 mm (average) thick base of cement				
	mortar 1:4 (1 cement : 4				
	coarse sand) laid and jointed with cement				1
	slurry and pointing with white				
	cement slurry admixed with pigment of				
	matching shade including				
	rubbing, curing and polishing etc. all Flamed finish granite stone slab Jet Black,				
	Cherry Red, Elite				
	Brown, Cat Eye or equivalent.	sqm	15.00		
	Providing and fixing 18 mm thick gang saw				
	cut, mirror polished, premoulded and				
.	prepolished, machine cut for kitchen				
	platforms, vanitycounters, window sills,				
	facias and similar locations of required size, approved shade, colour and texture				
10	laid over 20 mm thick base cementmortar				
10	1:4 (1 cement : 4 coarse sand), joints treated				
	with white cement, mixed with matching				
	pigment, epoxy touch ups, including				
	rubbing, curing, moulding and polishing to				
	edges to give high gloss finish etc.				
	completeat all levels. Granite stone slab all colour and texture				
	except black, Cherry/				
	Ruby red				
	Area of slab over 0.50 sqm	sqm	21.00		
	Providing and fixing aluminium sliding				
	door bolts, ISI marked anodised				
	(anodic coating not less than grade AC 10 as				
11	per IS : 1868),				
	transparent or dyed to required colour or shade, with nuts and screws				
	shade, with nuts and screws etc. complete:				
	300x16 mm	each	35.00		
L				1	

12	Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete. Twin rubber stopper	each	35.00		
13	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI, IS: 3564, embossed on the body, door weight upto 35 kg and door width upto 700 mm), with necessary accessories and screws etc. complete.	each	15.00		
14	Providing and applying 12 mm thick (average) premixed formulated one coat gypsum lightweight plaster having additives and light weight aggregates as vermiculite/ perlite respectively conforming to IS: 2547 (Part - 1 & II) 1976, applied on hacked / uneven background such as bare brick/ block/ RCC work on walls & ceiling at all floors and locations, finished in smooth line and level etc. complete.	sqm	50.00		
15	Filling the gap in between aluminium frame & adjacent RCC/ Brick/ Stone work by providing weather silicon sealant over backer rod of approved quality as per architectural drawings and direction of Engineer-in-charge complete.				
	Upto 5mm depth and 5 mm width	meter	39.78		
15	Painting of street light pole of following height including brushing painting scrapping one or more coat of aluminum paint approved brand. including cleaning /rubbing complete as per specification and direction of Engineer-in-charge (providing hydra / crane is included). 5Mtr (aprrox)	Nos.	71.00		,
16	Supply and stacking Stone Aggregate (Single size): 60-63 mm nominal size including levelling of aggregate	cuft	400.00		
			ō	Total	

Junior Engineer(C)

Bidder Sign with Seal

Page 5 of 5 -----

